

100 FULL VIEW

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with 1/8" clear tempered glass.
Full view storm door.

SCREEN :
Door comes with a standard screen insert

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Inserts held in place by polycarbonate clips
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
SCREEN & GLASS INSE	25 1/16" X 74 11/16"	27 1/16" X 74 11/16"	29 1/16" X 74 11/16"	31 1/16" X 74 11/16"
KICK PANEL	N/A	N/A	N/A	N/A

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at www.homeguardindustries.com

HOW WE HINGE THE DOOR





108

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with 1/8" clear tempered glass.

SCREEN:
Door comes with standard screen

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Inserts held in place by polycarbonate clips
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
SCREEN & GLASS INSERT	25 1/16" X 69"	27 1/16" X 69"	29 1/16" X 69"	31 1/16" X 69"
KICK PANEL	25 7/16" X 4 13/16" X 1/16"	27 7/16" X 4 13/16" X 1/16"	29 7/16" X 4 13/16" X 1/16"	31 7/16" X 4 13/16" X 1/16"

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at www.homeguardindustries.com

HOW WE HINGE THE DOOR





108

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with 1/8" clear tempered glass.

SCREEN:
Door comes with standard screen

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Inserts held in place by polycarbonate clips
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
SCREEN & GLASS INSERT	25 1/16" X 69"	27 1/16" X 69"	29 1/16" X 69"	31 1/16" X 69"
KICK PANEL	25 7/16" X 4 13/16" X 1/16"	27 7/16" X 4 13/16" X 1/16"	29 7/16" X 4 13/16" X 1/16"	31 7/16" X 4 13/16" X 1/16"

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at www.homeguardindustries.com

HOW WE HINGE THE DOOR





108 Self Storing

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with a full Flex Screen
Upper and Lower sashes slide up or down to ventilate

SCREEN:
Door comes with full Flex Screen

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Glass sashes lock into self store frame
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
GLASS INSERT				
UPPER	22 3/16" X 33 9/16"	24 3/16" X 33 9/16"	26 3/16" X 33 9/16"	28 3/16" X 33 9/16"
LOWER	22 11/16" X 32 15/16"	24 11/16" X 32 15/16"	26 11/16" X 32 15/16"	28 11/16" X 32 15/16"
SCREEN INSERT	22 3/16" X 33 9/16"	24 3/16" X 33 9/16"	26 3/16" X 33 9/16"	28 3/16" X 33 9/16"
KICK PANEL	25 7/16" X 4 13/16" X 1/16"	27 7/16" X 4 13/16" X 1/16"	29 7/16" X 4 13/16" X 1/16"	31 7/16" X 4 13/16" X 1/16"

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at
www.homeguardindustries.com

FLEXSCREEN

All self-storing units will come standard with FLEX-SCREEN which allows for screen removal in seconds and provides full vertical movement of both the upper and lower glass.

HOW WE HINGE THE DOOR





108 VENTED VIEW

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with 1/8" clear tempered glass.

SCREEN:
Door comes with standard screen

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Inserts held in place by polycarbonate clips
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
SCREEN & GLASS INSERT	25 1/16" X 69"	27 1/16" X 69"	29 1/16" X 69"	31 1/16" X 69"
LOWER SCREEN	25 7/16" X 4 13/16" X 1/16"	27 7/16" X 4 13/16" X 1/16"	29 7/16" X 4 13/16" X 1/16"	31 7/16" X 4 13/16" X 1/16"

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at www.homeguardindustries.com

HOW WE HINGE THE DOOR





120

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with 1/8" clear tempered glass.

SCREEN:
Door comes with standard screen

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Inserts held in place by polycarbonate clips
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
SCREEN & GLASS INSERT	25 1/16" X 56 3/8"	27 1/16" X 56 3/8"	29 1/16" X 56 3/8"	31 1/16" X 56 3/8"
KICK PANEL	25 7/16" X 17 9/16" X 1/16"	27 7/16" X 17 9/16" X 1/16"	29 7/16" X 17 9/16" X 1/16"	31 7/16" X 17 9/16" X 1/16"

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at www.homeguardindustries.com

HOW WE HINGE THE DOOR





120SS

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with a full Flex Screen
Upper and Lower sashes slide up or down to ventilate

SCREEN:
Door comes with full Flex Screen

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Glass sashes lock into self store frame
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
GLASS INSERT				
UPPER	22 3/16" X 27 1/4"	24 3/16" X 27 1/4"	26 3/16" X 27 1/4"	28 3/16" X 27 1/4"
LOWER	22 11/16" X 26 5/8"	24 11/16" X 26 5/8"	26 11/16" X 26 5/8"	28 11/16" X 26 5/8"
SCREEN INSERT	22 3/16" X 53 9/16"	24 3/16" X 53 9/16"	26 3/16" X 53 9/16"	28 3/16" X 53 9/16"
KICK PANEL	25 7/16" X 17 9/16" X 1/16"	27 7/16" X 17 9/16" X 1/16"	29 7/16" X 17 9/16" X 1/16"	31 7/16" X 17 9/16" X 1/16"

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at
www.homeguardindustries.com

FLEXSCREEN

All self-storing units will come standard with FLEX-SCREEN which allows for screen removal in seconds and provides full vertical movement of both the upper and lower glass.

HOW WE HINGE THE DOOR





140

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with 1/8" clear tempered glass.

SCREEN:
Door comes with standard screen

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Inserts held in place by polycarbonate clips
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
SCREEN & GLASS INSERT	25 1/16" X 43 1/16"	27 1/16" X 43 1/16"	29 1/16" X 43 1/16"	31 1/16" X 43 1/16"
KICK PANEL	25 1/2" X 30 7/8" X 1/16"	27 1/2" X 30 7/8" X 1/16"	29 1/2" X 30 7/8" X 1/16"	31 1/2" X 30 7/8" X 1/16"

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at www.homeguardindustries.com

HOW WE HINGE THE DOOR





140SS

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with a full Flex Screen
Upper and Lower sashes slide up or down to ventilate

SCREEN:
Door comes with full Flex Screen

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Glass sashes lock into self store frame
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
GLASS INSERT				
UPPER	22 3/16" X 20 5/8"	24 3/16" X 20 5/8"	26 3/16" X 20 5/8"	28 3/16" X 20 5/8"
LOWER	22 11/16" X 20"	24 11/16" X 20"	26 11/16" X 20"	28 11/16" X 20"
SCREEN INSERT	22 3/16" X 40 3/16"	24 3/16" X 40 3/16"	26 3/16" X 40 3/16"	28 3/16" X 40 3/16"
KICK PANEL	25 7/16" X 30 7/8" X 1/16"	27 7/16" X 30 7/8" X 1/16"	29 7/16" X 30 7/8" X 1/16"	31 7/16" X 30 7/8" X 1/16"

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at
www.homeguardindustries.com

FLEXSCREEN

All self-storing units will come standard with FLEX-SCREEN which allows for screen removal in seconds and provides full vertical movement of both the upper and lower glass.

HOW WE HINGE THE DOOR





200

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with 1/8" clear tempered glass.
Full view storm door.

SCREEN :
Door comes with a standard screen insert

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Inserts held in place by polycarbonate clips
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
SCREEN (1) & GLASS (2) INSERTS	25 1/16" X 36 5/8"	27 1/16" X 36 5/8"	29 1/16" X 36 5/8"	31 1/16" X 36 5/8"
KICK PANEL	N/A	N/A	N/A	N/A

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	**ACTUAL SIZE**	**MIN. OPENING**	**MAX. OPENING**
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at www.homeguardindustries.com

HOW WE HINGE THE DOOR





1202P

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with 1/8" clear tempered glass.

SCREEN:
Door comes with standard screen

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Inserts held in place by polycarbonate clips
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
SCREEN & GLASS INSERT	25 1/16" X 56 3/8"	27 1/16" X 56 3/8"	29 1/16" X 56 3/8"	31 1/16" X 56 3/8"
KICK PANEL X2	12 3/8" X 17 9/16" X 1/16"	13 3/8" X 17 9/16" X 1/16"	14 3/8" X 17 9/16" X 1/16"	15 3/8" X 17 9/16" X 1/16"

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at www.homeguardindustries.com

HOW WE HINGE THE DOOR





1202PSS

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with a full Flex Screen
Upper and Lower sashes slide up or down to ventilate

SCREEN:
Door comes with full Flex Screen

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Glass sashes lock into self store frame
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
GLASS INSERT				
UPPER	22 3/16" X 27 1/4"	24 3/16" X 27 1/4"	26 3/16" X 27 1/4"	28 3/16" X 27 1/4"
LOWER	22 11/16" X 26 5/8"	24 11/16" X 26 5/8"	26 11/16" X 26 5/8"	28 11/16" X 26 5/8"
SCREEN INSERT	22 3/16" X 53 9/16"	24 3/16" X 53 9/16"	26 3/16" X 53 9/16"	28 3/16" X 53 9/16"
KICK PANEL X 2	12 3/8" X 17 9/16" X 1/16"	13 3/8" X 17 9/16" X 1/16"	14 3/8" X 17 9/16" X 1/16"	15 3/8" X 17 9/16" X 1/16"

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at
www.homeguardindustries.com

FLEXSCREEN

All self-storing units will come standard with FLEX-SCREEN which allows for screen removal in seconds and provides full vertical movement of both the upper and lower glass.

HOW WE HINGE THE DOOR





1203P

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with 1/8" clear tempered glass.

SCREEN:
Door comes with standard screen

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Inserts held in place by polycarbonate clips
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
SCREEN & GLASS INSERT	25 1/16" X 56 3/8"	27 1/16" X 56 3/8"	29 1/16" X 56 3/8"	31 1/16" X 56 3/8"
KICK PANEL X3	7 15/16" X 17 9/16" X 1/16"	8 5/8" X 17 9/16" X 1/16"	9 5/16" X 17 9/16" X 1/16"	9 15/16" X 17 9/16" X 1/16"

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at www.homeguardindustries.com

HOW WE HINGE THE DOOR





1203PSS

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with a full Flex Screen
Upper and Lower sashes slide up or down to ventilate

SCREEN:
Door comes with full Flex Screen

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Glass sashes lock into self store frame
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
GLASS INSERT				
UPPER	22 3/16" X 27 1/4"	24 3/16" X 27 1/4"	26 3/16" X 27 1/4"	28 3/16" X 27 1/4"
LOWER	22 11/16" X 26 5/8"	24 11/16" X 26 5/8"	26 11/16" X 26 5/8"	28 11/16" X 26 5/8"
SCREEN INSERT	22 3/16" X 53 9/16"	24 3/16" X 53 9/16"	26 3/16" X 53 9/16"	28 3/16" X 53 9/16"
KICK PANEL X 3	7 15/16" X 17 9/16" X 1/16"	8 5/8" X 17 9/16" X 1/16"	9 5/16" X 17 9/16" X 1/16"	9 15/16" X 17 9/16" X 1/16"

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at
www.homeguardindustries.com

FLEXSCREEN

All self-storing units will come standard with FLEX-SCREEN which allows for screen removal in seconds and provides full vertical movement of both the upper and lower glass.

HOW WE HINGE THE DOOR





1402P

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with 1/8" clear tempered glass.

SCREEN:
Door comes with standard screen

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Inserts held in place by polycarbonate clips
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
SCREEN & GLASS INSERT	25 1/16" X 43 1/16"	27 1/16" X 43 1/16"	29 1/16" X 43 1/16"	31 1/16" X 43 1/16"
KICK PANEL X 2	12 3/8" X 30 7/8" X 1/16"	13 3/8" X 30 7/8" X 1/16"	14 3/8" X 30 7/8" X 1/16"	15 3/8" X 30 7/8" X 1/16"

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at www.homeguardindustries.com

HOW WE HINGE THE DOOR





1402PSS

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with a full Flex Screen
Upper and Lower sashes slide up or down to ventilate

SCREEN:
Door comes with full Flex Screen

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Glass sashes lock into self store frame
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
GLASS INSERT				
UPPER	22 3/16" X 20 5/8"	24 3/16" X 20 5/8"	26 3/16" X 20 5/8"	28 3/16" X 20 5/8"
LOWER	22 11/16" X 20"	24 11/16" X 20"	26 11/16" X 20"	28 11/16" X 20"
SCREEN INSERT	22 3/16" X 40 3/16"	24 3/16" X 40 3/16"	26 3/16" X 40 3/16"	28 3/16" X 40 3/16"
KICK PANEL X 2	12 3/8" X 30 7/8" X 1/16"	13 3/8" X 30 7/8" X 1/16"	14 3/8" X 30 7/8" X 1/16"	15 3/8" X 30 7/8" X 1/16"

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at
www.homeguardindustries.com

FLEXSCREEN

All self-storing units will come standard with FLEX-SCREEN which allows for screen removal in seconds and provides full vertical movement of both the upper and lower glass.

HOW WE HINGE THE DOOR





1403P

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with 1/8" clear tempered glass.

SCREEN:
Door comes with standard screen

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Inserts held in place by polycarbonate clips
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
SCREEN & GLASS INSERT	25 1/16" X 43 1/16"	27 1/16" X 43 1/16"	29 1/16" X 43 1/16"	31 1/16" X 43 1/16"
KICK PANEL X 3	6 15/16" X 30 7/8" X 1/16"	7 15/16" X 30 7/8" X 1/16"	8 15/16" X 30 7/8" X 1/16"	9 15/16" X 30 7/8" X 1/16"

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at www.homeguardindustries.com

HOW WE HINGE THE DOOR





1403PSS

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with a full Flex Screen
Upper and Lower sashes slide up or down to ventilate

SCREEN:
Door comes with full Flex Screen

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Glass sashes lock into self store frame
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
GLASS INSERT				
UPPER	22 3/16" X 20 5/8"	24 3/16" X 20 5/8"	26 3/16" X 20 5/8"	28 3/16" X 20 5/8"
LOWER	22 11/16" X 20"	24 11/16" X 20"	26 11/16" X 20"	28 11/16" X 20"
SCREEN INSERT	22 3/16" X 40 3/16"	24 3/16" X 40 3/16"	26 3/16" X 40 3/16"	28 3/16" X 40 3/16"
KICK PANEL X 3	6 15/16" X 30 7/8" X 1/16"	7 15/16" X 30 7/8" X 1/16"	8 15/16" X 30 7/8" X 1/16"	9 15/16" X 30 7/8" X 1/16"

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at
www.homeguardindustries.com

FLEXSCREEN

All self-storing units will come standard with FLEX-SCREEN which allows for screen removal in seconds and provides full vertical movement of both the upper and lower glass.

HOW WE HINGE THE DOOR





1404P

STORM DOOR BY HOME GUARD

STANDARD SIZES:
30" X 80", 32" X 80", 34" X 80", 36" X 80"

AVAILABLE COLORS:
Refer to color chart

DESCRIPTION:
Welded frame storm door with 1/8" clear tempered glass.

SCREEN:
Door comes with standard screen

HARDWARE:
Available with Albany, Brookfield, Mortise
When ordering Mortise handle,
please specify hinge side from outside

COMPONENTS INCLUDED:
Screen and tempered glass inserts
Inserts held in place by polycarbonate clips
Interlocking hinges with self-lubricating bronze bushings
Heavy duty air or hydraulic closer
Safety spring that mounts at top of door.

STANDARD SIZES	30 X 80	32 X 80	34 X 80	36 X 80
SCREEN & GLASS INSERT	25 1/16" X 43 1/16"	27 1/16" X 43 1/16"	29 1/16" X 43 1/16"	31 1/16" X 43 1/16"
KICK PANEL X 4	12" X 15 9/16" X 1/16"	13" X 15 9/16" X 1/16"	14" X 15 9/16" X 1/16"	15" X 15 9/16" X 1/16"

MINIMUM & MAXIMUM OPENINGS (STANDARD)

DOOR SIZE	ACTUAL SIZE	MIN. OPENING	MAX. OPENING
30" WIDTH	29 3/16"	29 5/8"	30 1/4"
32" WIDTH	31 3/16"	31 5/8"	32 1/4"
34" WIDTH	33 3/16"	33 5/8"	34 1/4"
36" WIDTH	35 3/16"	35 5/8"	36 1/4"
80" HEIGHT	79 3/16 W/ EXPANDER	79 1/2"	80 3/4"
84" HEIGHT	83 3/16" W/ EXPANDER	83 1/2"	84 3/4"

SPECIAL SIZES AVAILABLE
WIDTH: 14" thru 48"
Any width other than standard will require special glass
HEIGHT: 36" thru 101"
Any height other than standard will require special glass

For more information, please visit us at www.homeguardindustries.com

HOW WE HINGE THE DOOR

